## PUBLICATION OF UNEXAMINED UTILITY MODEL APPLICATION

(11)Publication number:

S50-49553

(43) Date of publication of application:

15.05.1975

(51)Int.Cl. B65F 1/06

(52)Japanese Cl. 126 L 2

92(7)B 36

(54) A garbage drainer device of four steps of posture kitchens using a nylon bag

(21)Application number: S48-104532

(71)Applicant: KUNISHIGE Keiko

(22)Date of filing:

06.09.1973


(72)Inventor: KUNISHIGE Keiko

### (57) Claim of utility model

A garbage drainer device of the kitchen where a bore was emptied into at the bottom of a nylon bag

## [Brief Description of the Drawings]

FIG. 1 is an elevation view of a container. FIG. 2 is a plane view of a container. FIG. 3 is a plane view of the entrance. FIG. 4, FIG. 5, FIG. 6 are nylon bags which emptied small lights guide hole into bottoms (Do paste, and a dotted line part shows a part). FIG. 7 is joined three nylon bags shown in FIG. 4 from FIG. 6. FIG. 8 is assembling drawing.



### 19日本国特許庁

Int. Cl<sup>2</sup>.
B 65 F 1/06

**126 L 2** 92(7) B 25

## 公開実用新案公報

庁内整理番号 2105-22 6748-34 ◎実開昭50-49553

❸公開 昭50(1975). 5.15

審査請求 未請求 (全3頁)

図ナイロン袋を利用した4段構え台所のゴミ水切 り器

②)実

頁 昭48-104532

砂出

顧 昭48 (1973) 9月6日

個考案 者

70出 願

人 国重惠子

出顧人に同じ

字部市藤山区東平原吉田正巳方


## 匈実用新案登録請求の範囲

ナイロン袋の底に孔を空けた台所のゴミ 水切り器。

## 図面の簡単な説明


図-1は容器の立面図。図-2は容器の平面図。 図-3は水切りの平面図。図-4、図-5、図-6は底に小孔を空けたナイロン袋(点線部はのり しろを示す)。図-7は図-4~図-6に示した 3つのナイロン袋を接合したもの。図-8は組立 図。


第1図



第2図







# 公開実用 昭和50-49553




图 - 8

实用新東登録出願人 国重电子